

Strictly Necessary Cookies (7)

Strictly necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
__RequestVerificationToken	metacompliance.com	HTTP	Session
First found URL: https://www.metacompliance.com/company/sales-referral/ Cookie purpose description: Helps prevent Cross-Site Request Forgery (CSRF) attacks. Initiator: Webserver Source: metacompliance.com Data is sent to: Ireland (adequate)			
ARRAffinity	metacompliance.azurewebsites.net	HTTP	Session
First found URL: https://www.metacompliance.com/blog/the-12-cons-of-christmas/ Cookie purpose description: Used to distribute traffic to the website on several servers in order to optimise response times. Initiator: Script tag Source: https://www.metacompliance.com/blog/the-12-cons-of-christmas/ Data is sent to: Ireland (adequate)			
ARRAffinity	metacompliance.com	HTTP	Session
First found URL: https://www.metacompliance.com/ Cookie purpose description: Used to distribute traffic to the website on several servers in order to optimise response times. Initiator: Webserver Source: metacompliance.com Data is sent to: Ireland (adequate)			
ASP.NET_SessionId	metacompliance.com	HTTP	Session
First found URL: https://www.metacompliance.com/company/sales-referral/ Cookie purpose description: Preserves the visitor's session state across page requests. Initiator: Webserver Source: metacompliance.com Data is sent to: Ireland (adequate)			
JSESSIONID	linkedin.com	HTTP	Session
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Cookie purpose description: Preserves users states across page requests. Initiator: Script tag Source: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Data is sent to: United States (adequate)			
language	slideshare.net	HTTP	Session
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Cookie purpose description: Saves the user's preferred language on the website. Initiator: Script tag Source: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Data is sent to: United States (adequate)			

Functionality Cookies (1)

Functionality cookies enable a website to remember information that changes the way the website behaves or looks, like your preferred language or the region that you are in.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
lang	cdn.syndication.twimg.com	HTTP	Session
First found URL: https://www.metacompliance.com/company/career-page/ Cookie purpose description: Remembers the user's selected language version of a website Initiator: Script tag, page source line number 521 Source: https://cdn.syndication.twimg.com/widgets/timelines/497049504458104832?callback=__twtr.callbacks.tl_i0_497049504458104832_old&dnt=false&dmain=www.metacompliance.com&lang=en&suppress_response_codes=true&t=1699358&tz=GMT%2B0000 via https://platform.twitter.com/widgets.js Data is sent to: United States (adequate)			

Performance Cookies (24)

Performance cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
@@History/@@scroll #	brighttalk.com	HTML	Session
First found URL: https://www.metacompliance.com/resources/webinars/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 322 Source: https://www.brighttalk.com/clients/js/player-embed/player-embed.js Data is sent to: United Kingdom (adequate)			
@@History/@@scroll #	metacompliance.com	HTML	Persistent
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Unclassified Initiator: Page source line number 329 Source: Inline script Data is sent to: Ireland (adequate)			
@@History/@@scroll #	slideshare.net	HTML	Persistent
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Cookie purpose description: Unclassified Initiator: Script tag Source: Data is sent to: United States (adequate)			
@@History/@@scroll #	youtube.com	HTML	Session
First found URL: https://www.metacompliance.com/company/vacancies/ Cookie purpose description: Unclassified Initiator: Webserver Source: youtube.com Data is sent to: United States (adequate)			
__utm.gif	google-analytics.com	Pixel	Session
First found URL: https://www.metacompliance.com/ Cookie purpose description: Google Analytics Tracking Code that logs details about the visitor's browser and computer. Initiator: Script tag, page source line number 62 Source: https://ssl.google-analytics.com/__utm.gif?utmwv=5.7.2&utms=2&utmn=1820846369&utmhn=www.metacompliance.com&utmcs=UTF-8&utmsr=1024x768&utmv=997x739&utmsc=24-bit&utmul=en-us&utmje=0&utmfl=-&utmdt=MetaCompliance%20Leading%20Policy%20Management%20%26%20Global%20Cyber%20Security%20Company&utmhid=784494416&utmr=0&utmp=%2F&utmht=1529422755990&utmcc=__utma%3D258257174.881766903.1529422698.1529422698.1%3B%2B__utmmz%3D258257174.1529422698.1.1.utmcsr%3D(direct)%7Cutmccn%3D(direct)%7Cutmcmd%3D(none)%3B&utmjid=&utmu=qAAAAAAAAAAAAAAAAAAAAAE~ via https://ssl.google-analytics.com/ga.js Data is sent to: United States (adequate)			
__utma	metacompliance.com	HTTP	2 years
First found URL: https://www.metacompliance.com/ Cookie purpose description: Collects data on the number of times a user has visited the website as well as dates for the first and most recent visit. Used by Google Analytics.			

Initiator: Script tag, page source line number 62

Source: <https://ssl.google-analytics.com/ga.js>

Data is sent to: United States (adequate)

__utma	slideshare.net	HTTP	2 years
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Collects data on the number of times a user has visited the website as well as dates for the first and most recent visit. Used by Google Analytics.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

__utmb	metacompliance.com	HTTP	Session
---------------	--------------------	------	---------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Registers a timestamp with the exact time of when the user accessed the website. Used by Google Analytics to calculate the duration of a website visit.

Initiator: Script tag, page source line number 62

Source: <https://ssl.google-analytics.com/ga.js>

Data is sent to: United States (adequate)

__utmb	slideshare.net	HTTP	Session
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Registers a timestamp with the exact time of when the user accessed the website. Used by Google Analytics to calculate the duration of a website visit.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

__utmc	metacompliance.com	HTTP	Session
---------------	--------------------	------	---------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Registers a timestamp with the exact time of when the user leaves the website. Used by Google Analytics to calculate the duration of a website visit.

Initiator: Script tag, page source line number 62

Source: <https://ssl.google-analytics.com/ga.js>

Data is sent to: United States (adequate)

__utmc	slideshare.net	HTTP	Session
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Registers a timestamp with the exact time of when the user leaves the website. Used by Google Analytics to calculate the duration of a website visit.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

__utmt	metacompliance.com	HTTP	Session
---------------	--------------------	------	---------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Used to throttle the speed of requests to the server.

Initiator: Script tag, page source line number 62

Source: <https://ssl.google-analytics.com/ga.js>

Data is sent to: United States (adequate)

__utmt	slideshare.net	HTTP	Session
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used to throttle the speed of requests to the server.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

__utmv	slideshare.net	HTTP	2 years
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Saves user-defined tracking parameters for use in Google Analytics.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

__utmz	metacompliance.com	HTTP	6 months
---------------	--------------------	------	----------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Collects data on where the user came from, what search engine was used, what link was clicked and what search term was used. Used by Google Analytics.

Initiator: Script tag, page source line number 62

Source: <https://ssl.google-analytics.com/ga.js>

Data is sent to: United States (adequate)

_utmz	slideshare.net	HTTP	6 months
--------------	----------------	------	----------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Collects data on where the user came from, what search engine was used, what link was clicked and what search term was used. Used by Google Analytics.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

_ga	brighttalk.com	HTTP	2 years
------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Registers a unique ID that is used to generate statistical data on how the visitor uses the website.

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

_gid	brighttalk.com	HTTP	Session
-------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Registers a unique ID that is used to generate statistical data on how the visitor uses the website.

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

_uv_id	slideshare.net	HTTP	2 years
---------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Collects data on the user's visits to the website, such as which pages have been read.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

optimizelyBuckets	brighttalk.com	HTTP	179 days
--------------------------	----------------	------	----------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Stores settings on Optimizely user experience experiments and variations that the visitor has been bucketed into. This ensures the visitor consistently sees the same variation, even over multiple sessions.

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

optimizelyEndUserId	brighttalk.com	HTTP	179 days
----------------------------	----------------	------	----------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Used to measure how selected users react to targeted changes to the website's content and functionality, in order to determine what variation is most efficacious in terms of converting users to customers.

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

optimizelyPendingLogEvents	brighttalk.com	HTTP	Session
-----------------------------------	----------------	------	---------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Used by Optimizely as a cache of a user's actions between tracking calls.

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

optimizelySegments	brighttalk.com	HTTP	179 days
---------------------------	----------------	------	----------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Used by Optimizely to store the user's audience and dimension information (e.g., browser, campaign, mobile, source type, custom dimensions).

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

vuid	vimeo.com	HTTP	2 years
First found URL: https://www.metacompliance.com/blog/5-steps-to-secure-mobile-devices-and-mitigate-risk-to-your-organisation/ Cookie purpose description: Collects data on the user's visits to the website, such as which pages have been read. Initiator: Script tag Source: https://www.metacompliance.com/blog/5-steps-to-secure-mobile-devices-and-mitigate-risk-to-your-organisation/ Data is sent to: United States (adequate)			

Targeting Cookies (36)

Targeting cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third-party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
__atuvc	metacompliance.com	HTTP	1 year
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Updates the counter of a website's social sharing features. Initiator: Script tag, page source line number 329 Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21 Data is sent to: Germany (adequate)			
__atuvs	metacompliance.com	HTTP	Session
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Ensures that the updated counter is displayed to the user if a page is shared with the social sharing service, AddThis. Initiator: Script tag, page source line number 329 Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21 Data is sent to: Germany (adequate)			
_hjIncludedInSample	metacompliance.com	HTTP	Session
First found URL: https://www.metacompliance.com/blog/the-top-5-gdpr-myths/ Cookie purpose description: Determines if the user's navigation should be registered in a certain statistical place holder. Initiator: Script tag, page source line number 30 Source: https://static.hotjar.com/c/hotjar-835180.js?sv=6 Data is sent to: United States (adequate)			
ads/ga-audiences	google.com	Pixel	Session
First found URL: https://www.metacompliance.com/ Cookie purpose description: Used by Google AdWords to re-engage visitors that are likely to convert to customers based on the visitor's online behaviour across websites. Initiator: Script tag, page source line number 62 Source: https://www.google.dk/ads/ga-audiences?v=1&aip=1&t=sr&_r=4&tid=UA-1140983-2&cid=881766903.1529422698&jid=616301921&_v=5.7.2&z=164876714&slf_rd=1&random=1083758871 via https://ssl.google-analytics.com/ga.js Data is sent to: United States (adequate)			
ads/user-lists/#	google.com	Pixel	Session
First found URL: https://www.metacompliance.com/ Cookie purpose description: Unclassified Initiator: Inline script, page source line number 71-77 Source: https://www.google.dk/ads/user-lists/8997685523/?random=1529422703713&cv=9&fst=1529420400000&num=1&bg=ffffff&guid=ON&u_h=768&u_w=1024&u_ah=768&u_aw=1024&u_cd=24&u_his=1&u_tz=0&u_java=false&u_nplug=3&u_nmime=4&data=event%3Dgtag.config&gtm=a64&sendb=1&frm=0&url=https%3A%2F%2Fwww.metacompliance.com%2F&ref=https%3A%2F%2Fwww.metacompliance.com%2F&tiba=MetaCompliance%20Leading%20Policy%20Management%20%26%20Global%20Cyber%20Security%20Company&async=1&fmt=3&cdct=2&is_vtc=1&random=516805661&resp=GooglemKTybQhCsO&rmt_tld=1&ipr=y Data is sent to: United States (adequate)			
ANON_ID	tribalfusion.com	HTTP	3 months
First found URL: https://www.metacompliance.com/blog/the-top-5-gdpr-myths/			

Cookie purpose description: Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/the-top-5-gdpr-myths/>

Data is sent to: United States (adequate)

at-lojson-cache-#	metacompliance.com	HTML	Persistent
--------------------------	--------------------	------	------------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Used by the social sharing platform AddThis

Initiator: Page source line number 329

Source: Inline script

Data is sent to: Ireland (adequate)

bcookie	linkedin.com	HTTP	2 years
----------------	--------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used by the social networking service, LinkedIn, for tracking the use of embedded services.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

bkdc	bluekai.com	HTTP	179 days
-------------	-------------	------	----------

First found URL: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Cookie purpose description: Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.

Initiator: Script tag

Source: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Data is sent to: United States (adequate)

bku	addthis.com	HTTP	1 year
------------	-------------	------	--------

First found URL: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Cookie purpose description: Unclassified

Initiator: Script tag

Source: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Data is sent to: United States (adequate)

bku	bluekai.com	HTTP	179 days
------------	-------------	------	----------

First found URL: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Cookie purpose description: Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.

Initiator: Script tag

Source: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Data is sent to: United States (adequate)

bscookie	linkedin.com	HTTP	2 years
-----------------	--------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used by the social networking service, LinkedIn, for tracking the use of embedded services.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

bt2	addthis.com	HTTP	255 days
------------	-------------	------	----------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Used by the social sharing platform AddThis to keep a record of parts of the site that has been visited in order to recommend other parts of the site

Initiator: Script tag, page source line number 329

Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21

Data is sent to: United States (adequate)

di2	addthis.com	HTTP	1 year
------------	-------------	------	--------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 329

Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21

Data is sent to: United States (adequate)

GPS	youtube.com	HTTP	Session
------------	-------------	------	---------

First found URL: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Cookie purpose description: Registers a unique ID on mobile devices to enable tracking based on geographical GPS location.

Initiator: Script tag

Source: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Data is sent to: United States (adequate)

i/jot/syndication	twitter.com	Pixel	Session
-------------------	-------------	-------	---------

First found URL: <https://www.metacompliance.com/company/career-page/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 521

Source: https://syndication.twitter.com/i/jot/syndication?l=%7B%22_category_%22%3A%22syndicated_impression%22%2C%22triggered_on%22%3A1529422928129%2C%22dnt%22%3Afalse%2C%22event_namespace%22%3A%7B%22client%22%3A%22tfw%22%2C%22page%22%3A%22timeline%22%2C%22action%22%3A%22impression%22%7D%7D

via <https://platform.twitter.com/widgets.js>

Data is sent to: United States (adequate)

IDE	doubleclick.net	HTTP	1 year
-----	-----------------	------	--------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Used by Google DoubleClick to register and report the website user's actions after viewing or clicking one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.

Initiator: Page source line number 71-77

Source: Inline script

Data is sent to: United States (adequate)

leo_auth_token	linkedin.com	HTTP	Session
----------------	--------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used by the social networking service, LinkedIn, for tracking the use of embedded services.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

lidc	linkedin.com	HTTP	Session
------	--------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used by the social networking service, LinkedIn, for tracking the use of embedded services.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

loc	addthis.com	HTTP	1 year
-----	-------------	------	--------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Geolocation, which is used to help providers determine how users who share information with each other are geographically located (state level).

Initiator: Script tag, page source line number 329

Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21

Data is sent to: United States (adequate)

mus	addthis.com	HTTP	1 year
-----	-------------	------	--------

First found URL: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Cookie purpose description: Unclassified

Initiator: Script tag

Source: <https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/>

Data is sent to: United States (adequate)

oid	addthis.com	HTTP	1 year
-----	-------------	------	--------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 329

Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21

Data is sent to: United States (adequate)

PREF	youtube.com	HTTP	8 months
------	-------------	------	----------

First found URL: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Cookie purpose description: Registers a unique ID that is used by Google to keep statistics of how the visitor uses YouTube videos across different websites.

Initiator: Script tag

Source: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Data is sent to: United States (adequate)

SEUNCY	semasio.net	HTTP	179 days
First found URL: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Cookie purpose description: Registers a unique ID that identifies the user's device for return visits. Initiator: Script tag Source: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Data is sent to: Denmark (adequate)			
TapAd_DID	tapad.com	HTTP	2 months
First found URL: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Cookie purpose description: Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user. Initiator: Script tag Source: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Data is sent to: United States (adequate)			
TapAd_TS	tapad.com	HTTP	2 months
First found URL: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Cookie purpose description: Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user. Initiator: Script tag Source: https://www.metacompliance.com/company/newsroom/metacompliance-bring-gdpr-for-dummies-roadshow-to-a-european-city-near-you/ Data is sent to: United States (adequate)			
test_cookie	doubleclick.net	HTTP	Session
First found URL: https://www.metacompliance.com/ Cookie purpose description: Used to check if the user's browser supports cookies. Initiator: Page source line number 71-77 Source: Inline script Data is sent to: United States (adequate)			
uid	addthis.com	HTTP	1 year
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Creates a unique, machine-generated user ID. AddThis, which is owned by Clearspring Technologies, uses the user ID to make it possible for the user to share content across social networks and provide detailed statistics to various providers. Initiator: Script tag, page source line number 329 Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21 Data is sent to: United States (adequate)			
UID	scorecardresearch.com	HTTP	2 years
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Cookie purpose description: Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address . The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences. Initiator: Script tag Source: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Data is sent to: United States (adequate)			
UIDR	scorecardresearch.com	HTTP	2 years
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Cookie purpose description: Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences. Initiator: Script tag Source: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/ Data is sent to: United States (adequate)			
UVC	addthis.com	HTTP	1 year
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Detects how often the social sharing service, AddThis, encounters the same user. Initiator: Script tag, page source line number 329 Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21 Data is sent to: United States (adequate)			
vc	addthis.com	HTTP	1 year
First found URL: https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/ Cookie purpose description: Used by the social sharing platform AddThis Initiator: Script tag, page source line number 329 Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21			

Data is sent to: United States (adequate)

visit	linkedin.com	HTTP	2 years
--------------	--------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Used by the social networking service, LinkedIn, for tracking the use of embedded services.

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

VISITOR_INFO1_LIVE	youtube.com	HTTP	179 days
---------------------------	-------------	------	----------

First found URL: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Cookie purpose description: Tries to estimate the users' bandwidth on pages with integrated YouTube videos.

Initiator: Script tag

Source: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Data is sent to: United States (adequate)

xtc	addthis.com	HTTP	1 year
------------	-------------	------	--------

First found URL: <https://www.metacompliance.com/blog/whatsapps-pragmatic-gdpr-parental-permission-policy/>

Cookie purpose description: Registers the user's sharing of content via social media.

Initiator: Script tag, page source line number 329

Source: https://s7.addthis.com/js/300/addthis_widget.js#pubid=ra-56cc24e1902dca21

Data is sent to: United States (adequate)

YSC	youtube.com	HTTP	Session
------------	-------------	------	---------

First found URL: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Cookie purpose description: Registers a unique ID to keep statistics of what videos from YouTube the user has seen.

Initiator: Script tag

Source: <https://www.metacompliance.com/products/elearning-cyber-and-compliance/>

Data is sent to: United States (adequate)

Category: Unclassified (5)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
bcookie	slideshare.net	HTTP	2 years

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Unclassified

Initiator: Script tag

Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Data is sent to: United States (adequate)

gwcc	metacompliance.com	HTTP	3 months
-------------	--------------------	------	----------

First found URL: <https://www.metacompliance.com/>

Cookie purpose description: Unclassified

Initiator: Page source line number 80-84

Source: Inline script

Data is sent to: Ireland (adequate)

pnctest	brighttalk.com	HTTP	4426 days
----------------	----------------	------	-----------

First found URL: <https://www.metacompliance.com/resources/webinars/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 322

Source: <https://www.brighttalk.com/clients/js/player-embed/player-embed.js>

Data is sent to: United Kingdom (adequate)

RT	slideshare.net	HTTP	Session
-----------	----------------	------	---------

First found URL: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>

Cookie purpose description: Unclassified

Initiator: Script tag
Source: <https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/>
Data is sent to: United States (adequate)

SERVERID	slideshare.net	HTTP	Session
First found URL: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/			
Cookie purpose description: Unclassified			
Initiator: Script tag			
Source: https://www.metacompliance.com/blog/8-data-breaches-caused-by-human-error/			
Data is sent to: United States (adequate)			